

PRODUCT GUIDE



Landscape & Architectural Lighting

FXLuminaire®

ACCENT LIGHTS

◀ MP

Height: 6.6" (168 mm)
Diameter: 1.8" (45 mm)
Lamp: MR-11 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ RS

Height: 6.6" (168 mm)/
L Shroud: 7.8" (198 mm)
Diameter: 2.4" (61 mm)
Lamp: MR-16 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ MU

Height: 7.2" (183 mm)/
L Shroud: 8.7" (221 mm)
Diameter: 2.2" (56 mm)
Lamp: MR-16 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ QZ

Height: 5.8" (146 mm)
Diameter: 1.8" (45 mm)
LED: 1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ FB

Height: 8.1" (206 mm)
Diameter: 2.5" (64 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ NP + color

Height: 8.4" (213 mm)/
L Shroud: 10.4" (264 mm)
Diameter: 2.7" (69 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ XA-70 + color

Height: 11.2" (285 mm)
Diameter: 3.3" (84 mm)
LED: H1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ C-UL

Height: 6.5" (165 mm)
Diameter: 2.4" (61 mm)
Lamp: MR-16 LED
Finish: AB
Material: Select Brass



◀ CA-51

Height: 7.9" (200 mm)
Diameter: 2.2" (56 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Select Brass

◀ PA-36 + color

Height: 7.5" (190 mm)
Diameter: 1.6" (41 mm)
LED: 1, 3
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass



◀ CC + color

Height: 6.3" (160 mm)/
L Shroud: 7.2" (183 mm)
Diameter: 1.6" (41 mm)
LED: 1, 3
Finish: AB, BS
Material: Brass



◀ VS + color

Height: 7.5" (191 mm)/
L Shroud: 8.2" (208 mm)
Diameter: 2.5" (64 mm)
LED: 3, 6, 9
Finish: AB, BS
Material: Brass

◀ MR

Height: 7.0" (178 mm)/
L Shroud: 8.5" (216 mm)
Diameter: 2.0" (51 mm)
Lamp: MR-11 LED
Finish: CU
Material: Copper/Brass



◀ LR

Height: 7.7" (195 mm)/
L Shroud: 9.0" (228 mm)
Diameter: 2.5" (64 mm)
Lamp: MR-16 LED
Finish: CU
Material: Copper/Brass



◀ LO

Height: 6.4" (163 mm)/
L Shroud: 9.2" (234 mm)
Diameter: 2.3" (57 mm)
Lamp: MR-16 LED
Finish: BS
Material: Brass

◀ FR + color

Height: 6.1" (155 mm)/
L Shroud: 7.0" (178 mm)
Diameter: 2.0" (50 mm)
LED: 1, 3
Finish: CU, AB
Material: Copper/Brass



◀ NR + color

Height: 6.1" (155 mm)/
L Shroud: 7.4" (188 mm)
Diameter: 2.5" (64 mm)
LED: 3, 6, 9
Finish: CU, AB
Material: Copper/Brass



◀ EA-51

Height: 7.0" (178 mm)
Diameter: 2.6" (67 mm)
Lamp: MR-16 LED
Finish: BC
Material: Composite

WALL WASHES

◀ WS

Height: 6.4" (163 mm)
Width: 4.0" (102 mm)
Lamp: G4 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ CW-31

Height: 5.4" (137 mm)
Width: 4.2" (107 mm)
Depth: 2.7" (69 mm)
Lamp: G4 LED
Finish: AB, FB
Material: Select Brass



◀ CW-51

Height: 6.2" (158 mm)
Width: 4.4" (112 mm)
Depth: 3.5" (89 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Select Brass



◀ QB/VW-31

Height: 5.0" (127 mm)/
6.0" (152 mm)
Width: 2.9" (75 mm)/
3.0" (75 mm)
Depth: 2.2" (55 mm)
LED: 1/MR-11 LED Lamp
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ PB + color

Height: 6.0" (152 mm)
Width: 3.9" (98 mm)
Depth: 2.2" (56 mm)
LED: 1, 3
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass or Aluminum



◀ LC + color

Height: 6.5" (165 mm)
Width: 4.5" (114 mm)
Depth: 3.0" (76 mm)
LED: 3, 6, 9
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass or Aluminum



◀ XW-70 + color

Height: 8.3" (211 mm)
Width: 6.0" (152 mm)
Depth: 3.5" (89 mm)
LED: H1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ EW-31

Height: 6.0" (153 mm)
Width: 4.6" (117 mm)
Depth: 3.2" (82 mm)
Lamp: G4 LED
Finish: BC
Material: Composite



◀ RW + color

Height: 7.6" (193 mm)
Diameter: 4.1" (103 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ RL

Height: 6.0" (153 mm)
Diameter: 4.0" (102 mm)
Lamp: G4 LED
Finish: CU
Material: Copper/Brass



PATH AND AREA LIGHTS

◀ EP-31

Height: 15.2" (386 mm)*
Diameter: 4.8" (122 mm)
Lamp: G4 LED
Finish: BC
Material: Composite



◀ TM/PL + color

Height: TM: 15.0" (381 mm)*
PL: 15.6" (396 mm)
Diameter: TM: 5.0" (127 mm)
PL: 6.0" (152 mm)
LED: 1*, 3*, or G4 LED Lamp
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



PATH AND AREA LIGHTS

◀ MP-30/31 + color

Height: 20.2" (511 mm)
Width: 1.5" (38 mm)
Depth: 7.4" (194 mm)
LED: 1 or G4 LED Lamp
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ MP-40 + color

Height: 23.8" (605 mm)
Width: 2.2" (55 mm)
Depth: 7.4" (188 mm)
LED: 1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ MP-J + color

Height: 22.1" (561 mm)
Width: 2.8" (71 mm)
Depth: 7.4" (187 mm)
LED: 1, 3, 6
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ MP-K + color

Height: 22.5" (572 mm)
Width: 2.2" (56 mm)
Depth: 7.4" (187 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ MP-Z + color

Height: 22.1" (561 mm)
Width: 2.5" (64 mm)
Depth: 7.4" (187 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ RP-32/33 + color

Height: 20.1" (511 mm)
Width: 1.5" (38 mm)
Depth: 7.2" (182 mm)
LED: 1 or G4 LED Lamp
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ PM + color

Height: 14.0" (356 mm)
XT: 18.5" (470 mm)
Diameter: 2.5" (64 mm)
LED: 1, 3, 6, 9, or MR-16 LED Lamp
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ PP-36 + color

Height: 20.7" (526 mm)
Width: 7.5" (191 mm)
LED: 1, 3
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass

◀ RP-34/35 + color

Height: 21.9" (556 mm)
Width: 1.4" (36 mm)
Depth: 7.9" (201 mm)
LED: 1 or G4 LED Lamp
Finish: CU, AB, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Copper/Brass

◀ HC/SP/JS/DL (-A) + color

Height: 15.6" (396 mm)*
Diameter: SP: 3.6" (92 mm)
DL: 6.3" (159 mm)
LED: 1*, 3*, or G4 LED Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass or Aluminum

◀ SC/CA (-A) + color

Height: 15.4" (391 mm)*
Diameter: SC: 4.7" (119 mm)
CA: 7.6" (193 mm)
LED: 1*, 3*, or G4 LED Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass or Aluminum

◀ PF/DM (-A) + color

Height: 15.4" (394 mm)*
Diameter: PF: 4.0" (102 mm)
DM: 7.1" (180 mm)
LED: 1*, 3*, or G4 LED Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass or Aluminum

◀ CP-L4/L7

Height: 21.5" (546 mm)
Diameter: CP-L4: 4.3" (109 mm)
CP-L7: 6.5" (165 mm)
Riser Diameter: 1.0" (25 mm)
Lamp: G4 LED Lamp
Finish: AB
Material: Select Brass

◀ GN

Height: 22.1" (563 mm) with 18" (450 mm) riser
Diameter: 10.0" (254 mm)
Riser Diameter: 1.25" (38 mm)
Lamp: G4 LED
Finish: CU
Material: Copper/Brass

◀ DS

Height: 7.6" (193 mm)*
Diameter: 4.1" (103 mm)
Lamp: G4 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ FG + color

Height: 18.0" (457 mm)
Diameter: 5.0" (127 mm)
LED: 3, 6, 9, or SCB Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass

◀ TD + color

Height: 18.0" (457 mm)
XT: 29.5" (749 mm)
Diameter: 5.0" (127 mm)
LED: 3, 6, 9, or SCB Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper/Brass

RECESSED WALL LIGHTS

◀ CP/LM

Height: 3.5" (89 mm)
Width: CP: 5.0" (127 mm)
LM: 9.0" (229 mm)
LED: 1, 2, or G4 LED Lamp
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Copper

◀ UN/PD

Height: 3.5" (89 mm)
Width: UN: 5.2" (91 mm)
PD: 9.0" (229 mm)
LED: 1, 2, or G4 LED Lamp
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†], CB, DT
Material: Brass or Composite

◀ HS + color

Height: 2.3" (58 mm)
Width: 8.0" (203 mm)
Face Depth: 0.9" (23 mm)
LED: 2
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ VO

Length: 2.4" (62 mm)
Diameter: 1.9" (48 mm)
LED: 1
Finish: SS
Material: Stainless Steel

◀ PO/MO + color

Diameter: PO: 2.5" (64 mm)
MO: 3.3" (84 mm)
LED: PO: 1, MO: 3
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass

◀ CN-51

Diameter: 3.3" (84 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Select Brass

◀ CG-51

Diameter: 3.3" (84 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Select Brass

◀ RH + color

Height: 3.0" (76 mm)
Width: 5.0" (127 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ VK + color

Height: 9.0" (229 mm)
Width: 3.0" (76 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ SL-3 + color

Height: 4.9" (125 mm)
Width: 3.2" (81 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ SL-5 + color

Height: 4.1" (101 mm)
Width: 5.4" (137 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

SURFACE-MOUNTED WALL LIGHTS

◀ SF + color

Height: 2.5" (64 mm)
Width: 6.8" (172 mm)
Exposed Depth: 1.0" (25 mm)
LED: 1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

◀ MM/MS

Diameter: 3.3" (83 mm)/3.7" (94 mm)
Depth: 1.8" (45 mm)/2.0" (51 mm)
LED: 1 or G4 LED Lamp
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass or Aluminum

*When specified with a 12" (300 mm) riser
† PowerBoard® Integrated LED path lights are ordered in two parts: 1) Top Assembly and 2) Riser Assembly.
‡ Items in this finish are not returnable.

LEDGE LIGHTS

◀ LD

Height: 1.0" (25 mm)
Width: 4.8" (122 mm)
Depth: 0.8" (20 mm)
Lamp: G4 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ CL-31

Height: 1.0" (25 mm)
Width: 4.7" (120 mm)
Depth: 0.8" (20 mm)
Lamp: G4
Finish: AB, FB
Material: Select Brass



◀ LF + color

Height: 0.9" (22 mm)
Width: 6.7" (170 mm)
Depth: 1.0" (25 mm)
LED: 1
Finish: AB, BS, CU, SS, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Brass or Aluminum



◀ CL-L

Height: 0.8" (20 mm)
Width: 6.9" (175 mm)
Depth: 0.8" (20 mm)
Source: Integrated LED
Finish: AB
Material: Select Brass



◀ SRP

Length: 10' (3.1 m) or 40' (12 m)
Source: Integrated LED
Material: Silicone



◀ SRP RGBW + color

Length: 10' (3.1 m), 20' (6.1 m)
Source: Integrated LED
Material: Silicone
Accessory Required: SRP-CC



DIRECTIONAL DOWN LIGHTS

◀ QT

Length: 6.8" (173 mm)
Diameter: 2.1" (53 mm)
LED: 1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ JB + color

Length: 10.4" (264 mm)
Diameter: 2.6" (66 mm)
LED: 1, 3
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



Straight Shroud

◀ DE + color

Length: 11.7" (297 mm)
Diameter: 3.0" (76 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



Straight Shroud

◀ XA-70 + color

Length: 11.2" (285 mm)
Diameter: 3.3" (84 mm)
LED: H1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ CA-51

Length: 7.9" (200 mm)
Diameter: 2.2" (56 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Select Brass



◀ MD

Length: 10.5" (267 mm)
Diameter: 3.0" (76 mm)
Lamp: MR-16 LED
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



Straight Shroud

◀ TS

Length: 6.5" (165 mm)
Diameter: 2.4" (61 mm)
Lamp: AR-11 LED
Finish: CU
Material: Copper



◀ RL

Height: 6.0" (153 mm)
Diameter: 4.0" (102 mm)
Lamp: G4 LED
Finish: CU
Material: Copper/Brass



◀ RW + color

Height: 7.6" (193 mm)
Diameter: 4.1" (103 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ PA-36 + color

Height: 7.5" (190 mm)
Diameter: 1.6" (41 mm)
LED: 1, 3
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass



RECESSED DOWN LIGHTS

◀ VC

Depth: 3.3" (83 mm)
Diameter: 2.4" (62 mm)
LED: 1
Finish: FW
Material: Aluminum



◀ RC + color

Depth: 3.5" (89 mm)
Diameter: 5.5" (140 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



Retrofit Housing

SURFACE-MOUNTED DOWN LIGHTS

◀ ZC + color

Height: 5.5" (140 mm)
Diameter: 2.1" (53 mm)
LED: 1, 3
Finish: CU, SS, BZ, DG, WI, FB, FW[†], SV[†]
Material: Aluminum or Copper



◀ PS + color

Height: 3.2" (81 mm)
Diameter: 3.0" (76 mm)
LED: 3, 6, 9
Finish: BS, CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass or Aluminum



Optional Sleeve

Brass

WALL SCONCES

◀ QL

Height: 2.3" (58 mm)
Width: 1.5" (38 mm)
Depth: 2.2" (56 mm)
LED: 1
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ NL-DN + color

Height: 3.3" (84 mm)
Width: 3.2" (81 mm)
Depth: 3.4" (86 mm)
LED: 3, 6, 9
Finish: AB, BS, CU, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Brass or Aluminum



Optional Sleeve

◀ NL-UD + color

Height: 7.3" (185 mm)
Width: 3.2" (81 mm)
Depth: 3.3" (84 mm)
LED: 3, 6, 9
Finish: AB, BS, CU, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Brass or Aluminum



Optional Sleeve

◀ ZW + color

Height: 3.9" (99 mm)
Diameter: 2.3" (58 mm)
Depth: 3.0" (77 mm)
LED: 1, 3
Finish: CU, SS, BZ, DG, WI, FB, FW[†], SV[†]
Material: Aluminum, Stainless Steel, or Copper



ZW-UD

ZW-DN

◀ SD + color

Height: 7.1" (180 mm)
Depth: 4.0" (102 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



PENDANTS

◀ LE

Height: 3.1" (79 mm)
Diameter: 1.6" (41 mm)
LED: 1
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum or Copper/Brass



AL



CU

◀ VE + color

Height: 4.3" (109 mm)
Diameter: 2.3" (58 mm)
LED: 1, 3
Finish: CU, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum or Copper



Optional Sleeves

PS

◀ PS + color

Height: 5.3" (135 mm)
Diameter: 3.0" (76 mm)
LED: 3, 6, 9
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



[†] Items in this finish are not returnable.

IN-GRADES & WELL LIGHTS



◀ **VO**
Diameter: 1.9" (48 mm)
LED: 1
Finish: SS
Material: Stainless Steel



◀ **CN-51**
Diameter: 3.3" (84 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Brass



◀ **TN-60 + color**
Diameter: 5.3" (135 mm)
Depth: 4.3" (109 mm)
LED: 3, 6, 9
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass



◀ **FC + color**
Height: LV: 5.1" (130 mm)
 RG: 4.8" (122 mm)
 CW: 6.8" (173 mm)
Diameter: 4.0" (102 mm)
LED: 3, 6, 9, or MR-16 LED Lamp
Finish: AB, BS, BZ, DG, WI, SB, FB, FW[†], SV[†], CB
Material: Brass and Composite



◀ **RP**
Height: RG: 9.0" (229 mm)
 LV: 9.3" (236 mm)
 CW: 11.0" (279 mm)
Diameter: 6.8" (171 mm)
Lamp: MR-16 LED
Finish: BS, CB, DT
Material: Brass or Composite



◀ **XN-70 + color**
Height: 9.4" (240 mm)
Diameter: 7.0" (178 mm)
LED: H1
Finish: SS, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Stainless Steel



◀ **CN-73**
Diameter: 6.4" (163 mm)
Depth: 9.2" (234 mm)
Lamp: PAR-36 Lamp
Finish: AB, FB
Material: Brass



◀ **CF**
Height: 9.2" (234 mm)
Diameter: 6.1" (155 mm)
Lamp: PAR-36
Finish: BS, BZ, DG, WI, SB, FB, FW[†], SV[†], CB, DT
Material: Brass, Aluminum, or Composite



◀ **KG + color**
Height: 9.2" (234 mm)
Diameter: 6.1" (155 mm)
LED: 3, 6, 9
Finish: AB, BS, BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Brass or Aluminum




◀ **TE**
Height: 9.2" (234 mm)
Diameter: 6.1" (155 mm)
Lamp: MR-16 LED
Finish: BS, BZ, DG, WI, SB, FB, FW[†], SV[†], CB, DT
Material: Brass, Aluminum, or Composite



◀ **HP-48 + color**
Height: 3.1" (79 mm)
Width: 4.0" (102 mm)
Length: 8.0" (203 mm)
LED: 1
Finish: DS
Material: Composite

GROUND WASHES



◀ **VO**
Diameter: 1.9" (48 mm)
LED: 1
Finish: SS
Material: Stainless Steel



◀ **CG-51**
Diameter: 3.3" (84 mm)
Lamp: MR-16 LED
Finish: AB, FB
Material: Brass



◀ **FC + color**
Diameter: 3.3" (84 mm)
Lamp: MR-16 LED
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass



◀ **TG-60 + color**
Diameter: 5.3" (135 mm)
Depth: 4.3" (109 mm)
LED: 3, 6, 9
Finish: BS, AB, BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Brass


LINE-VOLTAGE LIGHTS



◀ **A-CT4/A-CT5**
Height: A-CT4: 8.5" (216 mm)
 A-CT5: 11.5" (293 mm)
Width: A-CT4: 4.0" (102 mm)
 A-CT5: 5.0" (127 mm)
Output: L07-L20
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ **A-ST5**
Height: 11.5" (293 mm)
Width: 5.0" (127 mm)
Output: L07-L20
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ **A-KN**
Height: 15.7" (399 mm)
Diameter: 10.5" (267 mm)
Output: L07-L20
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ **A-HS**
Height: 2.3" (58 mm)
Width: 8.0" (203 mm)
Depth: 3.4" (86 mm)
Output: L06-L11
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ **A-NK4/A-NK6**
Height: A-NK4: 5.8" (147 mm)
 A-NK6: 11.2" (285 mm)
Width: A-NK4: 5.8" (147 mm)
 A-NK6: 11.2" (285 mm)
Output: L04-L20
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum



◀ **A-BR10**
Height: 42.0" (1.1 m)
Width: 9.7" (264 mm)
Output: L07-L20
Finish: BZ, FB, DG, SB, WI, FW[†], SV[†]
Material: Aluminum

UNDERWATER LIGHTS



◀ **LP + color**
Height: 1.9" (48 mm)
Diameter: 2.7" (69 mm)
LED: 1, 3
Material: Brass

◀ **LL + color**
Length: 4.0" (102 mm)
Diameter: 3.2" (81 mm)
LED: 3, 6, 9
Material: Brass

LUXOR® CONTROL



◀ LUX

Height: 13.0" (330 mm)
Width: 8.0" (203 mm)
Depth: 5.0" (127 mm)
Power: 300 W
Finish: SS, M



◀ LSAT

Height: 13.0" (330 mm)
Width: 8.0" (203 mm)
Depth: 5.0" (127 mm)
Power: 300 W
Finish: SS, M



◀ LINKMOD

Luxor Wireless Linking Module



◀ WIFIMOD2 WIFIMOD2RMT*

Luxor Controller Wi-Fi Module
*-RMT comes with 10' (3 m) lead



◀ LUMAKEY

Height: 3.9" (99 mm)
Width: 1.7" (43 mm)
Depth: 0.8" (20 mm)



◀ PROGRAMMING ADAPTER

LED Board Programming Adapter (P/N 752605)

LUXOR CUBES



◀ LCM-LV

Max Load: 60 W/5 A
Supports: AC Dimmable LEDs and Incandescent



◀ LCM-RLY-010V

Max Load: 250 VAC/5 A
Supports: Relay Switch



◀ LCM-HV

Max Load: 400 W/3.3 A
Supports: AC Dimmable LEDs and Incandescent

TRANSFORMERS AND CONTROLLERS



◀ EX

Height: 12.0" (305 mm)
Width: 5.0" (127 mm)
Depth: 5.5" (140 mm)
Power: 150 W
Finish: SS, M



◀ PX

Height: 13.5" (343 mm)
Width: 7.5" (191 mm)
Depth: 6.0" (152 mm)
Power: 150 W, 300 W, 600 W, 900 W
Finish: SS



◀ DX

Height: 11.4" (289 mm)
Width: 7.1" (181 mm)
Depth: 5.0" (128 mm)
Power: 150 W, 300 W
Finish: SS, M



◀ STEP-DOWN TRANSFORMERS

ST-120-DIM
Input Voltage: 120 V
Output Voltage: 12 V
Power: 60 W



ST-HV
Input Voltage: 120 V to 240 V
Output Voltage: 12 V
Power: 16 W



ST-UV
Input Voltage: 120 V to 240 V
Output Voltage: 12 V
Power: 30 W

POWER ACCESSORIES



◀ DIM-LV

Low-Voltage Dimmer for in-line dimming control for any low-voltage fixture



◀ FX-WIFI-PLUG

Wi-Fi Plug for lighting transformers
Input voltage: 120 V
Input current: 15 A
Output voltage: 120 V



◀ SURGE-MOD

Surge Protection Module for LED lighting fixtures and lamps

LAMPS



◀ MR-11 ECO

Base: GU4
Beam Angle: FL
Max Lumens: 265 lm
Wattage: 3.3 VA



◀ MR-16 ECO

Base: GU5.3
Beam Angle: FL, WF
Max Lumens: 635 lm
Wattage: 6 VA, 9 VA




◀ MR-16 LED

Base: GU5.3
Beam Angle: VN, FL, WF
Max Lumens: 505 lm
Wattage: 4.3 VA, 5.4 VA, 6.5 VA



◀ MR-16 ZD

Base: GU5.3
Beam Angle: VN, FL, WF
Max Lumens: 505 lm
Wattage: 5.4 VA, 6.5 VA



◀ G4 LED

Base: G4
Max Lumens: 200 lm
Wattage: 1.0 VA, 1.3 VA, 1.7 VA



◀ PAR-36 ECO

Base: G53 Screw Terminal
Beam Angle: FL, WF
Max Lumens: 860 lm
Wattage: 8.5 VA, 11.3 VA

ACCESSORIES



◀ STRAIGHT RISERS

Risers with 1/2" threaded male and female coupling options




◀ SIGN LIGHT RISERS

Risers at 24" (0.6 m), 36" (0.9 m), and 48" (1.2 m) lengths, compatible with surface-mounted wall plates



◀ TREE RING

18" (0.5 m) and 24" (0.6 m) diameters with eight fixture positions for up or down lights



◀ LENS ACCESSORIES

Integrated LED, MR-11 LED, or MR-16 LED sizes for glare control, shielding, and color temperature shifts



◀ MOUNTING OPTIONS

Junction boxes, surface mounts, brackets, and post mounts for 1/2" threaded fixtures



◀ WIRE CONNECTIONS

Heat Shrink Wire Connectors

FXLuminaire.

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries



Denise Mullikin, President, Landscape Division